

Date: Mon, 9 May 94 04:30:34 PDT
From: Ham-Space Mailing List and Newsgroup <ham-space@ucsd.edu>
Errors-To: Ham-Space-Errors@UCSD.Edu
Reply-To: Ham-Space@UCSD.Edu
Precedence: Bulk
Subject: Ham-Space Digest V94 #118
To: Ham-Space

Ham-Space Digest Mon, 9 May 94 Volume 94 : Issue 118

Today's Topics:

(none)
ANS-127 BULLETINS
Is there a Pacsat/Internet Gateway??
Re APT Wheather
What are MET-3/4, MET-3/5 and MET-2/21?

Send Replies or notes for publication to: <Ham-Space@UCSD.Edu>
Send subscription requests to: <Ham-Space-REQUEST@UCSD.Edu>
Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Ham-Space Digest are available
(by FTP only) from UCSD.Edu in directory "mailarchives/ham-space".

We trust that readers are intelligent enough to realize that all text
herein consists of personal comments and does not represent the official
policies or positions of any party. Your mileage may vary. So there.

Date: 9 May 94 08:55:25 GMT
From: news-mail-gateway@ucsd.edu
Subject: (none)
To: ham-space@ucsd.edu

SUBSCRIBE

Date: Sun, 8 May 1994 21:17:44 MDT
From: ihnp4.ucsd.edu!swrinde!gatech!newsxfer.itd.umich.edu!nntp.cs.ubc.ca!alberta!
ve6mgs!usenet@network.ucsd.edu
Subject: ANS-127 BULLETINS
To: ham-space@ucsd.edu

SB SAT @ AMSAT \$ANS-127.01
AMSAT-NA BEST EVER DAYTON

HR AMSAT NEWS SERVICE BULLETIN 127.01 FROM AMSAT HQ
SILVER SPRING, MD MAY 7, 1994
TO ALL RADIO AMATEURS BT
BID: \$ANS-127.01

Dayton Hamvention '94 Termed "Best Ever" For AMSAT-NA

The 1994 Dayton Hamvention is now history, and AMSAT-North America's (AMSAT-NA) participation at this year's gathering was nothing short of a record breaker from a number of standpoints. "While all the numbers aren't in yet, we now believe this will be our best year ever for AMSAT at Dayton," said Bill Tynan (W3X0) AMSAT-NA President. He went on to express his sincere thanks for the very long hours, lost sleep and hard work put forth by the many Dayton AMSAT booth volunteers, forum speakers and contributors. In addition, Bill expressed his particular pleasure that the success at this year's Hamvention also coincided with AMSAT's 25th anniversary celebration. Without question, the highlight of this year's Hamvention activity was a forum honoring the 10th anniversary of SAREX activity aboard the NASA Space Shuttle. Roy Neal (K6DUE) moderated the forum and was joined on the podium by NASA Shuttle Astronauts Tony England (W00RE) and Steve Nagel (N5RAW) along with several other members of the SAREX working group. Also joining the group by live telephone patch were Astronauts Jay Apt (N5QWL) at the Johnson Space Flight Center in Houston and Astronaut Ron Parise (WA4SIR) at the Goddard Space Flight Center in Greenbelt, Maryland. In addition, a surprisingly clear telephone patch was successfully completed to Astronaut Ken Cameron (KB5AWP) in Star City, Russia. Ken is now training there for an upcoming joint NASA/Soyuz mission to the Russian Space Station MIR. All the astronauts shared their on-orbit experiences with ham radio and answered several questions from the gathering of Hamvention attendees. A number of students who have contacted the Shuttle via Amateur Radio in the past were also present at the forum and gave their own first hand impressions of their activities. Local TV coverage from all three Dayton commercial television stations highlighted the NASA astronauts speaking to the standing-room-only crowd of nearly 500 present at the event.

Other AMSAT activities at this year's Hamvention included a beginner's forum hosted by Keith Baker (KB1SF) along with a new PACSAT forum hosted by John Hansen (WA0PTV). Ed Krome (KA9LNV) highlighted the simplicity of Mode-S in a forum dedicated exclusively to that activity. Dick Jansson (WD4FAB) AMSAT-NA's VP for Engineering, was also on the program and brought Hamvention attendees up to speed on the latest developments with Phase 3-D. In addition, Ron Broadbent (G3AAJ) the Honorable Secretary of AMSAT-UK, gave his organization's perspective on the Phase 3-D project. Ron also announced to the group that a \$100,000 contribution from AMSAT-UK was recently made to the Phase 3-D project specifically for the purchase of flight batteries for the new spacecraft.

Unfortunately, two days of steady rain on Friday and Saturday followed by extremely cold weather on Sunday kept most of the crowd indoors. Despite the bad weather, however, well over 200 people stopped by the booth to initially join or renew their memberships in AMSAT-NA.

New items at this year's AMSAT booth included two new software programs and a number of other items. Joe Holman (KA7LDN) unveiled AMSAT-NA's first ever Microsoft Windows-based satellite tracking program called WINSAT. In addition, a new Microsoft Windows-based PB/PG packet software package called WISP written by Chris Jackson (ZL2TP0), was premiered at the booth. Needless to say, both of these new AMSAT software packages were in great demand by Hamvention attendees.

Other new items included an AMSAT 25th Anniversary patch and decal. Also, several new books were premiered at the booth, including the fourth and latest edition of "How to Use the Amateur Radio Satellites" by Keith Baker (KB1SF) and a newly revised "AMSAT-NA Digital Satellite Guide" edited by Gould Smith (WA4SXM).

[The AMSAT News Service (ANS) would like to thank KB1SF, W3X0, and KA3HDO for this bulletin item.]

/EX

SB SAT @ AMSAT \$ANS-127.02

UoSAT STUDENT/HAM HONORED

HR AMSAT NEWS SERVICE BULLETIN 127.02 FROM AMSAT HQ

SILVER SPRING, MD MAY 7, 1994

TO ALL RADIO AMATEURS BT

BID: \$ANS-127.02

G7MBF Recognized For His Research With POSAT-OSCAR-28's GPS Experiment

Congratulations are in order for University of Surrey (UoSAT) student Martin Unwin (G7MBF) who won the "Best Student Paper Prize" for his paper titled "Differential GPS Implementation on Microsatellites" presented at the recent Differential Satellite Navigation Systems Conference held in London. The award was sponsored by INMARSAT and the Royal Institute of Navigation and consists of \$1,000 to be used for continuing research in GPS at UoSAT; it was presented to Martin by Olaf Lundburg, the Director General of INMARSAT.

The PoSAT-OSCAR-28 GPS experiment has been highly successful automatically generating keplerian elements on-board based on GPS location measurements. Efforts are under way to use ground-based radars or other "cross-checks" to see just how accurately the GPS receiver is measuring the satellite's position in orbit.

[The AMSAT News Service (ANS) would like to thank Jeff Ward (K8KA/G0SUL) for this bulletin item.]

/EX

SB SAT @ AMSAT \$ANS-127.03
AO-13 OPS NET SCHEDULE

HR AMSAT NEWS SERVICE BULLETIN 127.03 FROM AMSAT HQ
SILVER SPRING, MD MAY 7, 1994
TO ALL RADIO AMATEURS BT
BID: \$ANS-127.03

Current AMSAT Operations Net Schedule For AO-13

AMSAT Operations Nets are planned for the following times. Mode-B Nets are conducted on AO-13 on a downlink frequency of 145.950 MHz. If, at the start of the OPS Net, the frequency of 145.950 MHz is being used for a QSO, OPS Net enthusiasts are asked to move to the alternate frequency of 145.955 MHz.

Date	UTC	Mode	Phs	NCS	Alt NCS
14-May-94	1700	B	167	WA5ZIB	W5IU
21-May-94	2130	B	185	VE2LVC	W9ODI

Any stations with information on current events would be most welcomed. Also, those interested in discussing technical issues or who have questions about any particular aspect of OSCAR satellite operations, are encouraged to join the OPS Nets. If neither of the Net Control Stations show up, any participant is invited to act as the NCS.

"Slow Scanners" are invited to join the SSTV sessions on AO-13. The frequency is 145.955 MHz. The net meets at 45 minutes before Mode S, and on Mode B following Mode S on Saturdays and Sundays. Join those sessions or convey your wishes for other SSTV skeds to wb6llo@amsat.org, and he will coordinate your efforts.

/EX

SB SAT @ AMSAT \$ANS-127.04
WEEKLY OSCAR STATUS REPORTS

HR AMSAT NEWS SERVICE BULLETIN 127.04 FROM AMSAT HQ
SILVER SPRING, MD MAY 7, 1994
TO ALL RADIO AMATEURS BT
BID: \$ANS-127.04

Weekly OSCAR Status Reports: 07-MAY-94

AO-13: Current Transponder Operating Schedule:

M QST *** AO-13 TRANSPONDER SCHEDULE *** 1994 Apr 07-Jul 11
Mode-B : MA 0 to MA 170 |
Mode-BS : MA 170 to MA 218 |
Mode-S : MA 218 to MA 220 |<- S beacon only
Mode-S : MA 220 to MA 230 |<- S transponder; B trsp. is OFF
Mode-BS : MA 230 to MA 250 | Blon/Blat 230/-5
Mode-B : MA 250 to MA 256 |
Omnis : MA 250 to MA 120 | Move to attitude 180/0, Jul 11
[G3RUH/DB20S/VK5AGR]

F0-20: The F0-20 ground command station has confirmed that the bird has been malfunctioning. The operational schedule announced previously is currently suspended and the analog mode will be continued indefinitely. Further operation schedule will be announced on and after 11-May-94.
[Kazu Sakamoto (JJ1WTK) qga02014@niftyserve.or.jp]

K0-25: K0-25 B has apparently been moved to the alternate receive frequency because of trouble with the other receiver. So uplink now is 145.870 MHz. The controllers note that the receiver may be turned off intermittently due to receiver testing. [WH6I]

AO-16: Working well. [WH6I]

LO-19: Operating normally. [WH6I]

K0-23: Operating Normally. [WH6I]

UO-11: WB1HBU talked with Doug Loughmiller (G0SYX) of the University of Surrey (UoSAT) while they both were at the Dayton Hamvention and G0SYX indicated that UO-11's S band beacon is now on continuously. The frequency is 2401.5 MHz. [WB1HBU & G0SYX]

RS-10/11: WA6ARA reports that RS-10 is operating beautifully! The passes at his QTH are coming around again in the late evening. WA6ARA is presently using QRP power, about 5W, using CW into a J pole with excellent results. WA6ARA says that "this bird continues to put out an excellent signal." [WA6ARA]

RS-12/13: HA5WH friend, Sanyi (XU7VK), is working from Cambodia during the daytime on RS-12. His biggest problem is finding stations to make QSOs with. HA5WH requests all stations in that area who use RS-12 to listen for XU7VK on RS-12. [HA5WH]

The AMSAT NEWS Service (ANS) is looking for volunteers to contribute weekly OSCAR status reports. If you have a favorite OSCAR which you work on a regular basis and would like to contribute to this bulletin, please send your observations to WD0HHU at his CompuServe address of 70524,2272, on INTERNET at wd0hhu@amsat.org, or to his local packet BBS in the Denver, CO

area, WDOHHU @ W0LJF.#NECO.CO.USA.NOAM. Also, if you find that the current set of orbital elements are not generating the correct AOS/LOS times at your QTH, PLEASE INCLUDE THAT INFORMATION AS WELL. The information you provide will be of value to all OSCAR enthusiasts.

/EX

Date: Mon, 9 May 94 01:50:29 -0500
From: yale.edu!noc.near.net!news.delphi.com!usenet@yale.arpa
Subject: Is there a Pacsat/Internet Gateway??
To: ham-space@ucsd.edu

This is probably a dumb question, but I've been unable to find the answer amongst the packet or satellite faq files, or anywhere else I've looked. Frequencies and modes I found, but is it possible, on a routine basis, to pass messages between the packet birds and internet e-mail?

It sounds like it ought to work, in theory, but I have not seen any reference to a gateway between a pacsat and anything else, like either the 2-meter packet or internet directly.

The goal is to be able to pass traffic to and from our sailboat from offshore in the South Pacific. Going between internet and the terrestrial packet network is no problem, but then what?

If it can be done, which birds, and how should the traffic addressed? Any information or places to look would be greatly appreciated. We're returning to Auckland in a few days to rejoin our boat and head back to Tonga.

Jim Corenman, KE6RK / Sue Corenman KB6FRF

Date: Mon, 9 May 1994 09:25:59 GMT
From: ihnp4.ucsd.edu!usc!howland.reston.ans.net!pipex!bbc!ant!boyer@network.ucsd.edu
Subject: Re APT Wheather
To: ham-space@ucsd.edu

Herb Dieben (ag381@FreeNet.Carleton.CA) wrote:

: What would be the 'best case' resolution of NOAA's either or VIS / IR
: or both. Another way of asking is what number of pixels do their sensors
: use? Also while we are at it, what is 'best case' gray scale resolution?

: Let mme e know if you can.Or perhaps direct me to a reliable source for
: this info.
: Thank you, reader!

Best case hoorizontal resolution is 4800 pixels per line. The grey scale
resolution depends on your convertor.

john b
john.boyer@rd.eng.bbc.co.uk

Date: 9 May 1994 08:54:21 GMT
From: ihnp4.ucsd.edu!usc!howland.reston.ans.net!usenet.ins.cwru.edu!
cleveland.Freenet.Edu!dt650@network.ucsd.edu
Subject: What are MET-3/4, MET-3/5 and MET-2/21?
To: ham-space@ucsd.edu

I notice that the March/April issue of the "AMSAT Journal"
has orbital elements for three satelllites named MET-3/4, MET-3/5
and MET-2/21, NORAD Ids 21232, 21655 and 22782 respectively.

What are these satelllites? Do they have any accessable
amateur gear on board? If so, what are the frequencies and
modulation?

Thanks,
Dave, N9LTD

End of Ham-Space Digest V94 #118
